

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|------------------------------------|---|------------------|---------|------------------|
| L1 | 89 | zuraski.inv. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 18:56 |
| L2 | 0 | 1 AND JITTER | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 18:56 |
| L3 | 18 | 1 AND ALLOCAT\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 18:58 |
| L4 | 1 | 1 AND LUKE | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 18:58 |
| S1 | 85 | zuraski.inv. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 18:56 |
| S2 | 0 | S1 and voip | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/12/01 18:48 |
| S3 | 0 | S1 and jitter\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/12/01 18:49 |
| S4 | 53 | jitter adj (record\$1 or table\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/12/01 18:51 |
| S5 | 0 | voip and S4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/12/01 18:50 |
| S6 | 509 | jitter adj (queue\$3 or buffer\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/12/01 18:50 |

| | | | | | | |
|-----|------|---|---|----|-----|------------------|
| S7 | 211 | S6 and voip | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/12/01 18:50 |
| S8 | 1227 | jitter with (record\$1 or table\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/12/01 18:56 |
| S9 | 24 | S8 and S7 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/12/01 18:51 |
| S10 | 1388 | jitter with (record\$1 or table\$1 or statistic\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/12/01 18:57 |
| S11 | 132 | S10 same network\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/12/01 18:56 |
| S12 | 6 | S11 and "379"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/12/01 18:57 |
| S13 | 92 | jitter near3 statistic\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/12/01 18:57 |
| S14 | 74 | S13 and network\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/12/01 18:58 |
| S15 | 18 | S6 and S14 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/12/01 19:12 |
| S16 | 1518 | 709/226.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/12/01 19:12 |

| | | | | | | |
|-----|-------|---|---|----|-----|------------------|
| S17 | 0 | S16 and S13 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/12/01 19:12 |
| S18 | 32460 | "709"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/12/01 19:12 |
| S19 | 16 | S18 and S13 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/12/01 19:12 |
| S20 | 51 | grabelsky.inv. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 10:25 |
| S21 | 8 | voip and S20 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 15:19 |
| S22 | 2 | ("6434606").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 10:29 |
| S23 | 2 | S22 and jitter | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 10:26 |
| S24 | 0 | S23 and memory | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 10:27 |
| S25 | 1727 | network adj interface and jitter | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 10:30 |
| S26 | 94 | (network adj interface) and (jitter same buffer same memory) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 10:27 |

| | | | | | | |
|-----|------|--|---|----|-----|------------------|
| S27 | 35 | jitter same (statistic\$1 and record\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 10:28 |
| S28 | 0 | S27 and S26 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 10:28 |
| S29 | 786 | jitter and (statistic\$1 and record\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 10:28 |
| S30 | 10 | S29 and S26 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 10:29 |
| S31 | 0 | S22 and (cpu or processor\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 10:29 |
| S32 | 20 | ("6434606").URPN. | USPAT | OR | OFF | 2005/09/27 10:29 |
| S33 | 1 | S32 and S27 | USPAT | OR | OFF | 2005/09/27 10:29 |
| S34 | 1813 | (network adj (interface or adapter)) and jitter | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 10:30 |
| S35 | 209 | S34 and S29 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 10:30 |
| S36 | 144 | S35 and memory and buffer | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 10:30 |
| S37 | 28 | S35 and memory and (jitter same buffer) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 10:31 |

| | | | | | | |
|-----|--------|---|---|----|-----|------------------|
| S38 | 20 | S35 and memory and (jitter with buffer) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 10:33 |
| S39 | 10 | S38 and @ad<"20010629" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 15:36 |
| S40 | 68 | jitter adj (record\$1 or table\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 10:35 |
| S41 | 1727 | S25 and S34 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 10:34 |
| S42 | 1 | S40 and S34 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 10:34 |
| S43 | 664 | jitter adj (buffer\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 10:34 |
| S44 | 0 | S43 and S40 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 10:34 |
| S45 | 23 | S40 and @ad<"20010629" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 10:38 |
| S46 | 100342 | (jitter or rout\$3 or lookup or (look adj up)) near3 table\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 10:40 |
| S47 | 433 | S46 same jitter\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 10:40 |

| | | | | | | |
|-----|-------|---|---|----|-----|------------------|
| S48 | 200 | S47 and (record\$1 or statistic\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 10:40 |
| S49 | 107 | S48 and @ad<"20010629" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 10:41 |
| S50 | 9 | S34 and S49 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 10:43 |
| S51 | 9 | S50 and (cpu or processor\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 10:43 |
| S52 | 20 | (obtain\$3 or receiv\$3 or generat\$4or transmit\$4 or transfer\$4 or transmission) near5 (jitter near2 (record\$1 or statistic\$1)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 15:34 |
| S53 | 8 | S52 and memory | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 15:24 |
| S54 | 6 | S53 and (adapter or card or interface) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 15:30 |
| S55 | 5 | S54 and (cpu or processor\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 15:33 |
| S56 | 46342 | allocat\$4 near4 (buffer or memory or storage) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 15:34 |
| S57 | 0 | S56 and S54 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 15:33 |

| | | | | | | |
|-----|------|--|---|----|-----|------------------|
| S58 | 0 | S56 same (jitter near2 (record\$1 or statistic\$1)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 15:34 |
| S59 | 1 | S56 and (jitter near2 (record\$1 or statistic\$1)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 15:34 |
| S60 | 2675 | allocat\$4 near4 portion near5 (buffer or memory or storage) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 15:34 |
| S61 | 0 | S60 same voip | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 15:35 |
| S62 | 12 | S60 and voip | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 15:35 |
| S63 | 61 | S60 and jitter | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 15:35 |
| S64 | 786 | jitter and (statistic\$1 and record\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 15:36 |
| S65 | 1813 | (network adj (interface or adapter)) and jitter | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 15:36 |
| S66 | 209 | S65 and S64 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 15:36 |
| S67 | 20 | S66 and memory and (jitter with buffer) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 15:36 |

| | | | | | | |
|-----|-------|---|---|----|-----|------------------|
| S68 | 7 | S67 and @ad<"20010410" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 15:36 |
| S69 | 44 | S63 and @ad<"20010410" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 16:09 |
| S70 | 20 | ((("6816464") or ("6665317") or ("6434606") or ("20020129161") or ("20020184393") or ("5790543") or ("6788651") or ("20020101885") or ("20040218739") or ("20020001302")).PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 16:07 |
| S71 | 4 | S70 and allocat\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 16:09 |
| S72 | 18386 | identif\$3 near5 connection\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 16:09 |
| S73 | 568 | S72 and jitter | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 16:09 |
| S74 | 580 | S72 and jitter\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 16:09 |
| S75 | 62 | S56 and S74 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 16:09 |
| S76 | 40 | S75 and @ad<"20010410" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 16:29 |
| S77 | 2 | "6360271".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 16:21 |

| | | | | | | |
|-----|-------|---|---|----|-----|------------------|
| S78 | 1 | allocat\$4 near5 buffer near5 (connection\$1 or session\$1) with jitter\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 16:21 |
| S79 | 1 | allocat\$4 near5 (memory or stor\$4 or buffer) near5 (connection\$1 or session\$1) with jitter\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 16:22 |
| S80 | 3 | allocat\$4 with(memory or stor\$4 or buffer) with (connection\$1 or session\$1) with jitter\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 16:23 |
| S81 | 8 | allocat\$4 with(memory or stor\$4 or buffer) with (connection\$1 or session\$1) same jitter\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 16:23 |
| S82 | 8 | (allocat\$4 with(memory or stor\$4 or buffer) with (connection\$1 or session\$1)) same jitter\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 16:26 |
| S83 | 2 | (allocat\$4 near5 (per or each) near5 (connection\$1 or session\$1)) same jitter\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 16:30 |
| S84 | 15228 | (allocat\$4 with (connection\$1 or session\$1)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 16:29 |
| S85 | 897 | S84 and jitter | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 16:28 |
| S86 | 121 | S85 and S64 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 16:28 |
| S87 | 60 | S86 and @ad<"20010410" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 16:29 |

| | | | | | | |
|-----|-------|--|---|----|-----|------------------|
| S88 | 10520 | (allocat\$4 near7 (connection\$1 or session\$1)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 16:29 |
| S89 | 54 | S88 and S87 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 16:29 |
| S90 | 64 | S88 same voip | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 16:29 |
| S91 | 30 | S90 and @ad<"20010410" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 16:31 |
| S92 | 138 | (allocat\$4 near5 (per or each) near5 (connection\$1 or session\$1)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 16:30 |
| S93 | 117 | (allocat\$4 near7 (per or each) near (connection\$1 or session\$1)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 16:31 |
| S94 | 192 | (allocat\$4 near7 (per or each) near7 (connection\$1 or session\$1)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 16:31 |
| S95 | 126 | S94 and @ad<"20010410" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 16:37 |
| S96 | 1 | S95 and voip | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 16:31 |
| S97 | 70 | (allocat\$4 with (buffer or memory) with (per or each) with (connection\$1 or session\$1)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 16:32 |

| | | | | | | |
|------|------|---|---|----|-----|------------------|
| S98 | 75 | (allocat\$4 with (buffer\$1 or memory) with (per or each) with (connection\$1 or session\$1)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 16:32 |
| S99 | 56 | S98 and @ad<"20010410" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 16:36 |
| S100 | 78 | allocat\$4 near4 (second adj portion) near4 memory | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 16:37 |
| S101 | 51 | S100 and @ad<"20010410" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 16:53 |
| S102 | 2846 | 711/170-173.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 16:43 |
| S103 | 1810 | 709/226.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 16:46 |
| S104 | 423 | 710/56.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 16:46 |
| S105 | 10 | S104 and S103 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 16:47 |
| S106 | 14 | S104 and jitter\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 16:47 |
| S107 | 9 | S106 and @ad<"20010410" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 16:53 |

| | | | | | | |
|----------|-------|--|---|----|-----|------------------|
| S10 8 | 1170 | 370/516-517.CCLS. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 16:53 |
| S10 9 | 0 | S104 AND S108 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 16:53 |
| S11 0 | 201 | S108 AND ALLOCAT\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 16:53 |
| S11 1 | 173 | S110 and @ad<"20010410" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 17:03 |
| S11 2 | 69 | S111 AND JITTER | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 16:56 |
| S11 3 | 4 | S112 AND VOIP | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 17:01 |
| S11 4 | 54162 | (PLURALITY OR MULTIPLE) ADJ4 NETWORK\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 17:01 |
| S11 5 | 2845 | S114 AND S84 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 17:02 |
| S11 6 | 437 | S115 AND JITTER | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 17:02 |
| S11 7 | 0 | RETRIEV\$3 NEAR4 (RECORD\$1 OR TABLE\$1 OR DATA OR INFORMATION) NEAR7 JITTER | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 17:02 |

| | | | | | | |
|----------|-------|--|---|----|-----|------------------|
| S11 8 | 28 | RETRIEV\$3 NEAR4 (RECORD\$1 OR TABLE\$1 OR DATA OR INFORMATION) NEAR7 JITTER | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 17:02 |
| S11 9 | 16 | S118 and @ad<"20010410" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 17:04 |
| S12 0 | 69 | JITTER ADJ (RECORD\$1 OR STATISTIC\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 17:12 |
| S12 1 | 36 | S120 and @ad<"20010410" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 17:19 |
| S12 2 | 99256 | (MULTIPLE OR PLURALITY) NEAR5 (CONNECTION\$1 OR SESSION\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 17:07 |
| S12 3 | 1 | S122 AND S121 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 17:07 |
| S12 4 | 4 | updat\$3 with (JITTER ADJ (RECORD\$1 OR STATISTIC\$1)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 17:12 |
| S12 5 | 5 | S121 and (processor or cpu) and memory | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/27 17:19 |